



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

مناقصة: رقم (137 / 2026) طلب المواد رقم (26010153) (توريد كفوف سلامة)

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مبينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائيا.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
 - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
 - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
 - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
 - اجور النقل الى مستودعاتنا موقع المصفاة الزرقاء .
 - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
 - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولا او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.

ل

2026

م



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.
8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة $\pm 25\%$.
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض.
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآلاف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب عليكم غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة.
15. في حال اخلال المتعهد المحال عليه المناقصة باي من الالتزامات، يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او اذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المتعهد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل المناقصة أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازم أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
 - مصادرة كفالة حسن التنفيذ المقدمة للمنافسة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
 - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الرائجة والرجوع على المناقص بفرق السعر وخضم ذلك من الكفالة أو إحالة المناقصة او جزء منها على السعر الذي يليه مع تحميل المستنكف فرق السعر.
 - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.
17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.

س

س



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

18. اخر موعد لقبول واستلام العروض الرابعة عصرا من يوم الخميس 2026/08/20 وتسلم لدائرة المشتريات - الادارة العامة - جبل عمان - الدوار الأول -الطابق الأول - مكتب 10
 19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان (Local.Purchasing@jopetrol.com.jo).
 20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقا" لنظام تنظيم شؤون الفوترة والرقابة عليها رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقا" للنظام أعلاه.
- كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -
- الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.
- الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.
- العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.
- الرقم الضريبي للشخص أو الشركة إن وجد.

502

502

Order No. (26010153)

(Each point must be confirmed/commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
A	TECHNICAL:	
Items No. 1 & 2		
1	Conforms to EN 388 -3142, high quality leather gloves (Full Grain Leather) shall be suitable for work to category: II (Intermediary Risks).	
2	Leather complete second fingers, finger type and strengthening piece on back.	
3	Cuff with vein protection patch.	
4	Cotton back and cuff.	
5	Elasticated back.	
6	Length of cuff (7 cm).	
7	Abrasion, tear and puncture resistance.	
8	Size: according with EN 420.	
9	Requirements	
9-1	Technical data sheet (information and instruction for use, cleaning, storage, standards no., performances product description and raw materials of gloves).	
9-2	Marking (pictogram, level of performance, size, serial No. of product name of manufacturer and expired date).	
9-3	EC-type examination certificate from notified body including test report.	
9-4	Certificate of conformity with standards EN 420, and EN 388 (latest edition).	
9-5	Sample to be provided.	
10	Application: handling of mechanical objects.to protect hands against mechanical risks of abrasion, blade cut, tear and puncture.	
Item No. 3		
1	Conforms to EN 12477: 2002, EN 407(413 x4x) electrostatic tested, EN 388-3133, EN 420, as European of reactive 89/686/EEC as classification type B, higher of Exterity.	
2	Stitched with Kevlar thread.	
3	Abrasion, tear and puncture resistant.	
4	Grain light goat skin welding gloves with split cowhide cuff.	
5	Durable, soft and wear resistant, his touch sensitivity.	
6	Sewn with strong, heat-resistant kevlar thread.	
7	Length 14".	
8	Application: -protective gloves for use in manual metal welding and allied processes. -Protect welder hands and the wrist against small splashes molten metal. Short contact exposure to limited flame, convective heat and U.V radiation from the arc. Besider -Protect against mechanical aggression.	
9	Requirements:	

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
9-1	Technical data sheet (information instruction) for use, cleaning, storage, standard No. product description and raw materials of gloves.	
9-2	Making pictogram, level of performance, size serial No. of product, name of manufacturer and expire date.	
9-3	Test certification.	
9-4	Certificates of conformity with the standard EN 420.En388, EN 12477.	
9-5	Sample to be provided.	

Order No. (26010153)

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
1	Manufacturer name	
2	Full address	
3	Supplier name	
4	Full address	
5	Offer no.	
6	Offer validity (at least 90 days from closing date)	
7	Indicate the quoted currency.	
8	Indicate Country of Origin of goods offered	
9	Accordance to Jordan prevailing law, you should pay 6 per thousand of the total order to cover the REVENUE STAMPS	
10	Promised delivery date shall be provided.	
11	Price Inclusive/Exclusive Sales Tax	
12	Local supplier registration in the National E-Invoicing System	

Jordan Petroleum Refinery Company
Quote Order

Date 10/08/2026
Page - 1

Order Number 26010272 OQ 00001

Delivery Instructions

Branch/Plant 2002
Order Date 09/08/2026
Request Date 04/09/2026
Freight Handling

General Description 1 100176 LEATHER GLOVES:

DESCRIPTION:

- CONFORMS TO EN 388 -3142, HIGH QUALITY LEATHER GLOVES (FULL GRAIN LEATHER) SHALL BE SUITABLE FOR WORK TO CATEGORY: II (INTERMEDIARY RISKS).
- LEATHER COMPLETE SECOND FINGERS, FINGER TYPE AND STRENGTHENING PIECE ON BACK.
- CUFF WITH VEIN PROTECTION PATCH.
- COTTON BACK AND CUFF.
- ELASTICATED BACK.
- LENGTH OF CUFF (7 CM).
- ABRASION, TEAR AND PUNCTURE RESISTANCE.
- SIZE: ACCORDING WITH EN 420.

REQUIREMENTS:

- TECHNICAL DATA SHEET (INFORMATION AND INSTRUCTION FOR USE, CLEANING, STORAGE, STANDARDS NO., PERFORMANCES PRODUCT DESCRIPTION AND RAW MATERIALS OF GLOVES).
- MARKING (PICTOGRAM, LEVEL OF PERFORMANCE, SIZE, SERIAL NO.OF PRODUCT NAME OF MANUFACTURER AND EXPIRED DATE).
- EC-TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY INCLUDING TEST REPORT
- CERTIFICATE OF CONFORMITY WITH STANDARDS EN 420, AND EN 388 (LATEST EDITION).
- SAMPLE TO BE PROVIDED.

APPLICATION:

HANDLING OF MECHANICAL OBJECTS TO PROTECT HANDS AGAINST MECHANICAL RISKS OF ABRASION, BLADE CUT, TEAR AND PUNCTURE.

General Description 2

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
1	1000007109	LEATHER GLOVES SIZE: 9			10000.000 PR			26010153 OR		1

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
2	1000007110	LEATHER GLOVES SIZE: 10			3000.000	PR			26010153	OR	2

General Description 1 100214 TIG Welding Gloves (Argon Gloves)											
DISCRIPTION :											
TIG welding gloves to the following specification :											
1- Conforms to En 12477 : 2002 , En 407(413 x4x) electrostatic tested , En 388-3133 ,En 420, as European of reactive 89/686/EEC as classification type B,higer of exterity.											
2- Stitched with Kevlar thread.											
3- Abration ,tear and puncture resistant.											
4- grain light goat skin welding gloves with split cowhide cuff.											
5- Durable , soft and wear resistant ,his touch sensivity .											
6- Sewn with strong , heat-resistant kevlar thread .											
7- Length 14"											
Application :											
-protective gloves for use in manual metal welding and allied processes.											
-Protect welder hands and the wrist against small splashes molten metal .											
Short contact exposure to limited flame , convective heat and U.V radiation from the arc. Besider											
-Protect against mechanical aggression.											
Requirements :											
1- Technical date sheet (information instruction) for use ,cleaning , storape , standard											
No ,product description and row materials of gloves.											
2- Making pictogram , level of performance , size serial No.of product , name of manufacturer and expire date.											
3- Test certification.											
4- Certificates of conformity with the standard En 420.En388.En 12477.											
5- Sample to be provided .											
General Description 2											

3	1000003010	TIG Welding Gloves			200.000	PR			26010153	OR	3
(Argon Gloves)											

Purchasing Manager :

Remarks of Purchasing Department :

.....

.....

Order No: OR- 26010153

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1000007109	LEATHER GLOVES SIZE: 9	PR	10000.000		
2	1000007110	LEATHER GLOVES SIZE: 10	PR	3000.000		
3	1000003010	TIG Welding Gloves	PR	200.000		