



شركة مصفاة البترول الاردنية المساهمة المحدودة
عمان - الأردن

مناقصة: رقم (2026/143) طلبات المواد ارقام
(26010510+26010512+26010523+26010545+26010548) -توريد لوازم كهربائية.

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مبينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
 - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
 - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
 - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
 - اجور النقل الى مستودعاتنا موقع المصفاة الزرقاء.
 - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
 - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.

س

2

ER



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

طبع

مناقصة: رقم (2026/143) طلب المواد ارقام (26010548+26010545+26010523+26010512+26010510)
(توريد لوازم كهربائية)

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
 - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
 - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد او امر الشراء يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
 - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
 - اجور النقل الى مستودعاتنا موقع المصفاة الزرقاء.
 - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
 - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.

ج



شركة مصفاة البترول الاردنية المساهمة المحدودة عمان - الأردن

6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.
8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة $\pm 25\%$.
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض=
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآلف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب عليكم غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة.
15. في حال اخلال المتعهد المحال عليه المناقصة باي من الالتزامات، يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او انذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المتعهد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل المناقصة أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازماً أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
 - مصادرة كفالة حسن التنفيذ المقدمة للمناقصة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
 - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الراجعة والرجوع على المناقص بفرق السعر وخصم ذلك من الكفالة، أو إحالة المناقصة أو جزء منها على السعر الذي يليه مع تحميل المستنكف فرق السعر
 - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.
17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

18. اخر موعد لقبول واستلام العروض الساعة الرابعة عصراً من يوم الخميس الموافق 2026/09/17 وتسلم لدائرة المشتريات -

الادارة العامة - جبل عمان - الدوار الأول -الطابق الأول - مكتب 10

19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان (Local.Purchasing@jopetrol.com.jo).

20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقاً لنظام تنظيم شؤون الفوترة والرقابة عليها

رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقاً للنظام أعلاه.

كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -

الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.

الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.

العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.

الرقم الضريبي للشخص أو الشركة إن وجد.

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010283 OQ 00001

Delivery Instructions

Branch/Plant 2002
Order Date 13/08/2026
Request Date 01/02/2027
Freight Handling

General Description 1 160058 SPARES FOR REFINERY ELECTRICAL MOTOR
CONTROL CENTER AND DISTRIBUTION PANELS
MCC AND DB.

REF.DRG.NO : C-29863-29903
LOCATION : 3RD. EXP. PROJECT .

General Description 2 161006 3 POLE CONTACTOR 11KW,25A,400V,50HZ,
COIL VOLTAGE 230V,TYPE 3RT10 26-1AP04,2NO+2NC,
CATALOG LV 10-2004,SIEMENS

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit Price	Supplier Offer	Supplier Offer	Original	Orig
1	1602201266	3POLE CONTACTOR 11 KW, 25A,400V			10.000	EA	26010510	OR	1	1

General Description 1 161049 METAL PLUG WITH SOCKET OUTLET SUIT TO USE WITH TRANSFORMER 230/52.5V.
THE PLUG AND SOCKET ARE 3P,5A
PROTECTION RATE: IP66,DUST AND WATER INGRESS
OPERATING TEMPERATURE : -25 TO +50°C
STANDARDS : EN60529 PIN CONFIGURATION
ALL METAL CONSTRUCTION
SUITABLE FOR USE IN HAZARDOUS ENVIRONMENTAL CONDITIONS
MANUFACTURER : LEWDEN/ENGLAND

General Description 2

2 1603645016 METAL CLAD SOCKET (2P+E) ,5A,IP66 TYPE PD84/3SAM

60.000 EA 26010523 OR 1

General Description 1 161084 BATHROOM EXHAUST FANS , 230V,50HZ, WINDOW MOUNT,PLASTIC

Jordan Petroleum Refinery Company

Quote Order

Date 13/08/2026
Page - 2

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit Price	Supplier Offer	Original	Order No	Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	------------	----------------	----------	----------	------	--------

TO BE ORDERED LOCALLY AGENT OF PANASONIC,KDK,SND SINAR.

General Description 2

3	1603620006	BATHROOM EXHAUST FAN,	CIRCULAR,6"		50.000 EA				26010548 OR		1
---	------------	-----------------------	-------------	--	-----------	--	--	--	-------------	--	---

General Description 1

161154	Jacket Heat Shrink
- Fast, moisture proof and permanent repair of cable jackets.	
- The metal closure is made of 316 stainless steel for high overall corrosion resistance.	
- Weather resistance and halogen free.	
- Comply with ANSI C 119.1.	
- To repair cables up to 3300 v .	
- Adhesive lined	
- black	

General Description 2

4	1601035040	Heat Shrinkable Cable Repair	Sleeve 1500 mm Length 43/10 mm		5.000 M				26010545 OR		1
---	------------	------------------------------	--------------------------------	--	---------	--	--	--	-------------	--	---

General Description 1

160661	PLASTIC CABLE TIES
--------	--------------------

General Description 2

5	1601060029	PLASTIC CABLE	TIES 10CM.LENGTH .		2000.000 EA				26010545 OR		5
---	------------	---------------	--------------------	--	-------------	--	--	--	-------------	--	---

General Description 1

160031	CRIMPING COPPER TUBE CABLE LUGS TINNED WITH INSPEC. HOLE TO BE USED FOR HYDRAULIC PRESS PURPOSES (NOT SOLDERING) OF THE FOLLOWING SIZES SUITABLE FOR CORES
--------	--

General Description 2

General Description 2

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Type	LineNo
6	1601065010	CRIMP.COPPER TUBE CABLE LUGS	SIZE 10MM.2		300.000	EA			26010545	OR	7
7	1601065016	CRIMP.COPPER TUBE CABLE LUGS	SIZE 16MM.2 (HOLE 10MM)		500.000	EA			26010545	OR	8
8	1601065035	CRIMP.COPPER TUBE CABLE LUGS	SIZE 35MM.2(HOLE 10MM)		300.000	EA			26010545	OR	9
9	1601065095	CRIMP.COPPER TUBE CABLE LUGS	SIZE 95MM.2(HOLE 12MM.)		100.000	EA			26010545	OR	10
General Description 1 160032 ELECTRICAL ACCESSORIES. MANUF. : DAVICO INDUSTRIAL LTD. FAX: 0121-520 7775 REF.DRG.NO.: C-53630 & C-80641.											
General Description 2 160796 INSULATED PIN TERMINALS.											
10	1601066110	INSULATED PIN TERMIN.BLACK	FLARED VINYL.	DVP1-128	500.000	EA			26010523	OR	2
General Description 1											
General Description 2											
11	1601066157	HAND CRIMP.TOOL.SUIT.FOR	ALL ABOVE TYPES		2.000	ST			26010523	OR	3
General Description 1 160035 P.V.C. "Z" TYPE CABLE MARCKER FOR FITTING CABLE WIRES SIZE FROM 2.9-4.7 SQ.MM.											
General Description 2											

General Description 2	161080	MINIATURE CIRCUIT BREAKER 230V ,6A DOUBLE POLE (1P+N), BREAKER CAPACITY 4.5KA
-----------------------	--------	---

[illegible]

General Description 1	
General Description 2	161007 3 POLE CONTACTOR 7.5KW,17A,400V,50HZ

Quote Order

Order Number 26010283 OQ 000001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
21	1602201267	3POLE CONTACTOR 7.5KW	17A,400V		5.000 EA				26010510 OR	11	
General Description 1											
160424	SPARES FOR REFINERY ELECTRICAL MOTOR CONTROL CENTER AND DISTRIBUTION PANELS MCC AND DB										
REF.DRG.NO.: C-29863-29903											
LOCATION : 3RD. EXP. PROJECT .											
General Description 2											
161026	CURRENT TRANSFORMER-RING TYPE 75/1, 5 VA/0.5										
MAX.VOLTAGE 600V,FREQ 50/HZ.											
ACCURACY CLASS 0.5,BASES FOR BACK PLATE											
INTERNAL DIAMETER MAX 32 MM											
OUTER DIAMETER MAX.70 MM											
THICKNESS 73 MM											
22	1602201375	CURRENT TRANSFORMER-RING	TYPE 75/1		4.000 EA				26010510 OR	6	
General Description 1											
General Description 2											
161032	CURRENT TRANSFORMER (250/1) SECONDRY CONNECTION USING TERMINAL FOR LUGS MAX.VOLTAGE 720 V(RING TYPE).										
23	1602201381	CURRENT TRANSFORMER(250/1)			3.000 EA				26010510 OR	2	
General Description 1											
160094	MITSUBISHI NO FUSE AIR CIRCUIT										

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No.	Orig Type LineNo
General Description 2 160946 BREAKER 380 VOLTS THREE POLES WITH THERMAL RELAY . ----- SPECIFICATION - MOLDED CASE CIRCUIT BREAKER - TYPE NF100-SP,T/A - THERMAL ADJUSTABLE RANGE (40-63) AMP. -----										
24	1602205014	MOLDED CASE CIRCUIT BREAKER	TYPE NF100-SP		4.000 EA				26010510 OR	13
General Description 1 160606 CONTACTORS & OVER LOAD RELAY TYPE LC1& LX1 & LR1 . SUPPLIER : TELEMECANIQUE, TELEX 203369 FRANCE. General Description 2 161066 3 POLE CONTACTOR 4KW,9A,400V, TYPE LC1-D09P7,COIL VOLTAGE 230V, WITH(2NO+2NC), TELEMECANEQUE.										
25	1602209024	3 POLE CONTACTOR4KW,9A			7.000 EA				26010510 OR	3
General Description 1 161063 3 POLE CONTACTOR 45KW,95A,400V, TYPE LC1-D95P7,COIL VOLTAGE 230V, WITH(2NO+2NC), TELEMECANEQUE. -----										
26	1602209026	3 POLE CONTACTOR45KW,95A			6.000 EA				26010510 OR	4
General Description 1 161065 3 POLE CONTACTOR 75KW,150A,400V, TYPE LC1-D150P7,COIL VOLTAGE 230V, WITH(2NO+2NC), TELEMECANEQUE.										

Jordan Petroleum Refinery Company

Quote Order

Date 13/08/2026
Page - 8

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer Currency	Original Order No	Orig Type	LineNo
27	1602209028	3 POLE CONTACTOR75KW.150A			7.000	EA			26010510	OR	5
General Description 1 160148 MACARONI, SLEEVES FOR MOTORS WINDINGS USES . (IN ONE METER LENGTHS) .											
General Description 2											
28	1603625013	MACARONI SLEEVES SIZE 13			10.000	M			26010523	OR	12
29	1603625015	MACARONI SLEEVES SIZE 15			10.000	M			26010523	OR	13
General Description 1 160150 TAPE, GENERAL PURPOSE ELECTRICAL INSULATION.											
General Description 2 160446 SPlicing SKOTCH NO. 23											
NOTE: - TECHNICAL DATA SHEET (TDS) & MATERIAL SAFETY DATA SHEET (MSDS) SHALL BE INCLUDED.											
30	1603630010	TAPE,CORMAREsISTANT HIGH			30.000	RL			26010523	OR	14
General Description 1 160164 PLUGS											
General Description 2											
31	1603685004	PLUGS RUBBER 2PINS			200.000	EA			26010523	OR	15

Jordan Petroleum Refinery Company

Quote Order

Date 13/08/2026
Page - 9

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
General Description 1											
General Description 2											
	160353	13 AMP,230V, SOCKET ADAPTER CRABTREE. - 13 AMP, 230 V, SOCKET ADAPTER CRABTREE PORTABLE DISTRIBUTOR WITH FOUR 3 PINS SOCKET COMPLY WITH BS 1363 STANDARD. - COMPLETE WITH 2 METERS LONG FLEXIBLE CABLE SIZE(3X1.5 sq.mm) COMPLY WITH BS 6500 STANDARD. - THREE PIN PLUG COMPLY WITH BS 1363 STANDARD.									
32	1603685013	13 AMP,230V, SOCKET ADAPTER CRABTREE			100.000	EA			26010523	OR	16
General Description 1											
General Description 2											
33	1603685016	SWITCH MK 10A.DOUBLE POLE 2 WAY			50.000	EA			26010512	OR	1
General Description 1											
General Description 2											
34	1603695002	SWITCH CRABTREE,6-10AMP,230V. GANGE,2 WAY			30.000	EA			26010512	OR	2
General Description 1											
General Description 2											
35	1603695010	3 PH,SELECTOR SWITCH 16 AMP,380V,50HZ ON/OFF			3.000	EA			26010512	OR	4

Jordan Petroleum Refinery Company

Quote Order

Date 13/08/2026
Page - 10

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer	Original	Order No	Type	LineNo
General Description 1 160165 HYDROGEN PLANT POWER SOCKETS .												
SUPPLIER : CROUSE HINDS COMPANY REF.DRG.NO. : C-53467 .												
General Description 2 160921 SPRING LOADED TERMINAL SUITABEL FOR MOUNTING ON DIN RAIL 32MM. AND WIRE SIZE 2.5 MM.2												
36	1603685026	SPRING LOADED TERMINAL			300.000	EA				26010523	OR	4
General Description 1 161018 ELECTRICAL SPARE PARTS FOR NEW REVERSE OSMOSIS PLANTS(R.O PLANTS)												
General Description 2 161133 VARIABLE SPEED DRIVE TYPE ATV61HD11N4 EQUIPPED WITH MULTI PUMP CONTROL CARD TYPE VW3A3503 SUITABLE FOR STARTING MOTOR 11KW,3PH,50HZ												
37	1603753120	& VARIABLE SPEED DRIVE TYPE	ATV61HD11N4		2.000	EA				26010512	OR	5
General Description 1 180026 MISCELLENOUS .												
General Description 2 180027 TELEPHONE SETS AND SPARES .												
تطلب من السوق المحلي شركة به لادوات الكهربائية * شركة عبيدو لادوات الكهربائية *												
38	1800900004	RJ11 TELEPHONE / SOCKET TO BE	FITTED ON MK BOX (WHITE COLOR)		20.000	EA				26010523	OR	17

Jordan Petroleum Refinery Company

Quote Order

Date 13/08/2026
Page - 11

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer	Original	Order No	Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	----------------------	----------------	----------	----------	------	--------

General Description 1 161028 HEAT SHRINK CABLE TUBES TO BE USED FOR LOW VOLTAGE CABLE JOINTS
(LESS THAN 1 KV)
ELECTRIC CABLES (UNDERGROUND)

General Description 2

39	1601035072	HEAT SHRINK CABLE TUBE	48 MM - 15 MM		30.000 M				26010545 OR			3
40	1601035076	HEAT SHRINK CABLE TUBE	70 MM - 26 MM		15.000 M				26010545 OR			4

General Description 1 161031 SPARE FOR AIR DRYER SYSTEM
LOCATION: NEAR CONTROL ROOM OF NEW LPG
STORAGE FACILITIES(LOTTE PROJECT).
MODEL: KSD-345S
SERIAL NO.:KSHT-09-007/008
MANUFACTURER: KEUMSUNG HIGHTECH CO.LTD.
CATALOGUE NO.:C-81122

General Description 2 161145 TIMER MODEL:HY-T57NE 03 A
RANGE:3S/3M/3H
POWER:24/240V AC/DC
FREQ:50-60Hz
MANUFACTURER:HANYOUNG

41	1605013053	TIMER MODEL:HY-T57NE-13-A	RANGE:3S/3M/3H		1.000 EA				26010523 OR			10
----	------------	---------------------------	----------------	--	----------	--	--	--	-------------	--	--	----

General Description 1 161055 MOVING IRON AC AMMETER WITH RED MARK POINTER SUITABLE FOR USE WITH CURRENT TRANSFORMER -71A.
ACCURACY : CLASS 1.5, FREQUENCY : 50 Hz, BURDEN : 0.5VA.
TERMINALS SUITABLE FOR CABLE LUGS.
DIMENSIONS : SQUARE TYPE (48 X 48MM).
STANDARDS : PERFORMANCE : BSEN60051, MEASURING RANGES : DIN43701.
ACCURACY OVERLOAD : BSEN60051, DIMENSIONS : DIN43700, SCALE MARKING GENERALLY TO : DIN43802,
MAGNETIC INFLUENCE : BSEN60051, SAFETY : BSEN61010-1.

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer Currency	Original Order No	Orig Type	LineNo
General Description 2											
42	1602290024	AMMETER WITH SCALE 1A		RANGE 0:75/375	5.000	EA			26010523	OR	8
43	1602290025	AMMETER WITH SCALE 1A		RANGE 0:100/500	5.000	EA			26010523	OR	9
General Description 1 161073 ELECTRIC WATER HEATER											
CAPACITY : 50 LITER INSTALLATION : WALL HUNG POWER [KW] : 1.5 POWER SUPPLY : 230V, 50HZ HEATING ELEMENT : COPPERINLET/OUTLET CONNECTION : G 1/2" TANK : TITANIUM ENAMELING INSULATION : POLYURETHANE THERMOSTAT WITH BIPOLAR SAFETY DEVICE EXTERNAL TEMPERATURE REGULATION OVERSIZE MAGNESIUM ANODE PRESSURE SAFETY VALVE TESTED AT 8 BAR SHALL BE FROM GOOD MANUFACTURER AND SAVE THE WATER TEMPERATURE FOR LONG TIME. THE MANUFACTURER SHALL BE ISO CERTIFIED AND SHALL PROVIDE THE CERTIFICATE/S WITH HIS OFFER.											
General Description 2											
44	1603663001	ELECTRIC WATER HEATER, 50,		LITER , 1.5 KW	20.000	EA			26010548	OR	4
General Description 1 161084 BATHROOM EXHAUST FANS , 230V,50HZ, WINDOW MOUNT,PLASTIC TO BE ORDERED LOCALLY AGENT OF PANASONIC,KDK,SND SINAR.											
General Description 2											
45	1603620007	BATHROOM EXHAUST FAN,		CIRCULAR,8"	50.000	EA			26010548	OR	2

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Price	Supplier Offer	Original Order No	Orig Type	LineNo
General Description 1											
161108		Stainless steel cable ties Made from stainless steel 304 Corrosion resistant Weather resistant Outstanding chemical resistance High temperature resistant Non-burning Similar in design to conventional 'plastic' cable ties For indoor and outdoor use Thickness : 0.25mm Manufacturer shall be provide the following documents with his offer: 1. Technical data sheet. 2. Certificates & Approvals.									
General Description 2											
46	1601060159	STAINLESS STEEL CABLE TIE		150MMX5MM	1000.000	EA			26010545	OR	6
General Description 1											
160167		Industrial Sockets & Plugs Manufactures: Famatel or scame - Italy. Reference according to Famatel catalogue. Standard: IEC 60309									
General Description 2											
161347		Industrial Mobile Plugs single phase 6H,230V,50HZ, IP65									
47	1603690045	Mobile plug 3P, 16A		14200	10.000	EA			26010523	OR	5
General Description 1											
161348		Industrial Mobile Plugs Three phase 6H,400V,50HZ, IP66									
General Description 2											
48	1603690047	Mobile plug 5P, 16A		14301	10.000	EA			26010523	OR	6

Tel: (079) 6629577

Jordan Petroleum Refinery Company
Quote Order

Date 13/08/2026
Page - 15

Order Number 26010283 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
51	1603630019	WATERSEAL MASTIC TAPE (ماء) L=3MT			30.000	EA			26010523	OR	11
General Description 1 161154 Jacket Heat Shrink - Fast, moisture proof and permanent repair of cable jackets. - The metal closure is made of 316 stainless steel for high overall corrosion resistance. - Weather resistance and halogen free. - Comply with ANSI C 119.1. - To repair cables up to 3300 v . - Adhesive lined - black											
General Description 2											
52	1601035041	Heat Shrinkable Cable Repair			5.000	M			26010545	OR	2
General Description 1 161042 SPARE PARTS OF POWER FACTOR CORRECTION PANELS: TYPE(TLF480G-T)FOR AMMAN AND ZARQA ADMINISTRATIONS BUILDINGS AND SUBSTATIONS NO. (05,5/6,8,9,10) TYPE (TLFG48T225K) FOR (TR13&TR14)AT FCC UNIT, TYPE (TLG48T250K)FOR (TR37&TR38) FOR UNIBON UNIT INSTALLED AND OPERATED ON FEB.2019. -MANUFACTURER : TELEGROUP S.R.L (Italian Company)											
General Description 2 161344 Load break disconnect switch, 630 A, without handle. 1- Manufacturer: Technoelectric Srl 2- Type: VC4P 3x630A 3- Rated operational current (Ie): 630 A. 4- Rated operational voltage (Ue): 690 V AC. 5- Rated insulation voltage (Ui): 1500 V. 6- Cross section of flexible conductor: 2 x 185 mm2. 7- High Breaking Capacity (AC-23) in accordance with IEC 60947-3. 8- Frequency: 50Hz. 9- Number of Poles: 3.											
53	1603787035	Load break disconnect switch			3.000	EA			26010512	OR	6

Jordan Petroleum Refinery Company
Quote Order

Date 13/08/2026
Page - 16

Order Number 26010283 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	------------------------------	-------------------	-----------	--------

Purchasing Manager :

Remarks of Purchasing Department :

.....
.....