



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

مناقصة: رقم (150 / 2026)

طلبات مواد ارقام (26010593+26010703+26010704) (توريد لوازم سلامة عامة)

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مبينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقماً وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
 - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
 - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
 - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
 - اجور النقل الى مستودعاتنا موقع المصفاة الزرقاء .
 - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
 - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مدة التوريد، مكان التسليم

MSA

501

نسب



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الاسباب.
6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.
8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة $\pm 25\%$.
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض.
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآلاف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب عليكم غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة.
15. في حال اخلال المتعهد المحال عليه المناقصة باي من الالتزامات، يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او انذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المتعهد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل المناقصة أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازم أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
 - مصادرة كفالة حسن التنفيذ المقدمة للمناقصة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
 - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الرائجة والرجوع على المناقص بفرق السعر وخصم ذلك من الكفالة أو إحالة المناقصة او جزء منها على السعر الذي يليه مع تحميل المستكشف فرق السعر.
 - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.



شركة مصفاة البترول الاردنية المساهمة المحدودة
عمان - الأردن

17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.
 18. اخر موعد لقبول واستلام العروض الرابعة عصراً من يوم الخميس 2026/10/15 وتسلم لدائرة المشتريات - الادارة العامة - جبل عمان - الدوار الأول -الطابق الأول - مكتب 10
 19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان (Local.Purchasing@jopetrol.com.jo).
 20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقاً لنظام تنظيم شؤون الفوترة والرقابة عليها رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقاً للنظام أعلاه.
- كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -
- الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.
- الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.
- العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.
- الرقم الضريبي للشخص أو الشركة إن وجد.

40

Jordan Petroleum Refinery Company
Quote OrderDate 06/09/2026
Page - 1

Order Number 26010310 OQ 00001

Delivery Instructions

Branch/Plant 2002
Order Date 06/09/2026
Request Date 06/03/2027
Freight Handling

General Description 1 100017

* PARTICLE FILTERING HALF MASK ACCORDING TO THE FOLLOWING SPECIFICATIONS:

- DISPOSABLE MASK TO PROVIDE PROTECTION AGAINST NONE OIL BASED PARTICLES.
- CONFORMS TO EN 149:2001 - RESPIRATORY PROTECTIVE DEVICES- FILTERING HALF MASKS TO PROTECT AGAINST PARTICLES.
- CLASSIFICATION FFP3 TO EN 149, NIOSH APPROVED TO N99.
- REUSABLE, RECOMMENDED FOR SANDING, GRINDING, SAWING, SWEEPING, SPRAY PAINTING AND INSULATING.
- VALVED MASK WITH ADJUSTABLE PADDED NOSE CLIP.

MARKING:

*EACH ITEM SHALL BE CLEARLY MARKED WITH THE FOLLOWING:-

- MANUFACTURER NAME, TRADE MARK, IDENTIFICATION.
 - CLASS, EFFICIENCY.
 - STANDARD NO., YEAR OF PUBLICATION.
 - YEAR OF END OF SHELF LIFE ON SMALLEST PACKAGING.
- INFORMATION PICTOGRAM.

REQUIREMENTS

*THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:

- UPDATED CATALOG.
- DETAILED PRODUCT SPECIFICATION SHEET SHOWING CONSTRUCTION, LIMITATION OF USE, STANDARD NO. ----- ETC.
- EC- TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY, NIOSH APPROVAL CERTIFICATE.
- TEST CERTIFICATES INCLUDES ALL REQUIRED TESTS THAT ILLUSTRATED IN STANDARD ACCORDING TO EN ISO 149:2001.
- STORAGE AND CLEANING INSTRUCTIONS.
- SAMPLE OF THE OFFERED ITEM

APPLICATION:

- * TO PROTECT AGAINST PARTICLES SUCH AS THOSE FROM :
 - GRINDING, SANDING, SWEEPING, SAWING.
 - HANDLING OF MINERALS, COAL , CATALYST.

Jordan Petroleum Refinery Company
Quote Order

Date 06/09/2026
Page - 1

Order Number 26010310 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	------------------------------	-------------------	-------------

- SPRAY OF NONE OIL BASED LIQUIDS.

General Description 2

1	1000002015	PARTICLE FILTERING HALF MASK			8724,000	EA			26010594	OR	1
---	------------	------------------------------	--	--	----------	----	--	--	----------	----	---

General Description 1

100022 SAFETY SPECTACLES ACCORDING TO FOLLOWING SPECIFICATIONS:

- LOW ENERGY IMPACT PROTECTION TO EN166(1)F.
 - CLASS 1 WIDE POLYCARBONATE LENSES.
 - WITH BROW GUARD AND SIDE SHIELDS.
 - ANTI SCRATCH, ANTI MIST LENSES.
 - HEAVY DUTY ADJUSTABLE FRAME FOR GOOD FIT WITH CORD.
 - SOFT ADJUSTABLE NOSEPIECE.
 - FOR IN DOOR/OUT DOOR USE.
 - NONE EYES STRAINING.SUITABLE FOR ALL DAY WEAR
- * REQUIREMENTS
- * THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:
- UPDATE TECHNICAL CATALOGUE,DATASHEET.
 - STORAGE,CLEANING INSTRUCTIONS.
 - CERTIFICATE OF CONFORMITY WITH THE STANDARD.
 - SAMPLES TO BE PROVIDED WITH THE OFFER.

APPLICATION:

GENERAL MAINTENANCE,OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT EYES AGAINST MECHANICAL RISKS OF LOW ENERGY PROJECTILES.

General Description 2

2	1000002050	SAFETY SPECTACLES			500,000	EA			26010704	OR	1
---	------------	-------------------	--	--	---------	----	--	--	----------	----	---

General Description 1

100192 HALF FACE MASK AIRLINE RESPIRATORY WITH HOSES KIT

Jordan Petroleum Refinery Company

Date 06/09/2026
Page - 2

Quote Order

Order Number 26010310 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Original Type	Orig LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	------------------------------	-------------------	---------------	-------------

DESCRIPTION :

CONTINUOUS FLOW HALF FACEPIECE AIRLINE RESPIRATOR IS DESIGNED TO BE SUPPLIED BY AN AIR COMPRESSOR OR AIR CYLINDER BANK WITH CLEAN RESPIRABLE AIR FREE FROM CONTAMINATION IN PARTITICULAR CARBON MONOXIDE, WITH BELT MOUNTED PRESSURE DEMAND CONTROL REGULATOR WITH QUICK
-DISCONNECT ASSEMBLY AND WITH BREATHING HOSE. SUITABLE WITH WELDER,S FACEPEACE CONFORMS TO EN 14594 AND EN 140, SIZE : MEDIUM.
THE HOSE LENGTH:

- A- 50 ft (15.2 m) airline hose, coupler and plug (HP) - 10 PIECES
B- 100 ft (30.40m) airline hose coupler and plug (HP) - 10 PIECES

HOSE SPECIFICATIONS:

- Airline hose high pressure NIOSH approved.
- Constructed form rugged polyvinyl chloride and reinforced with braided polyester yam.
- These hoses provide a temperature range from(-28.8 °C to 65.5 °C)
- manufactured with brass Hansen quick -connect couplers.
- Maximum pressure is 185psi@70 oF (12.76 bar@21.1 °C)

REQUIREMENTS :

- TECHNICAL DATA SHEET (INFORMATION AND INSTRUCTIONS FOR USE, CLEANING ,STORAGE STANDARDS NO,PERFORMANCES PRODUCT DESCRIPTION).
- MARKING (PICTOGRAM,SIZE,NAME OF MANUFACTURER,YEAR OF MANUFACTURER,ALL UNITS OF THE SAME MODEL SHALL BE PROVIDED WITH A TYPE-IDENTIFYING MARKING ,THE MARKING SHALL BE CLEARLY VISIBLE AND DURABLE.
- TEST CERTIFICATE.
- CERTIFICATES OF CONFORMITY WITH THE STANDARDS-EN 14594,EN 140 AND EN 132.
- CATALOGUES.
- SAMPLE TO BE PROVIDED.

General Description 2

3 1000006120 HALF FACE MASK AIRLINE RESPIRATORY WITH HOSES KIT

20,000 EA

26010703 OR

1

General Description 1 100125 DARK BLUE COVERALL:

Jordan Petroleum Refinery Company
Quote Order

Date 06/09/2026
Page - 3

Order Number 26010310 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	------------------------------	-------------------	-----------	--------

DARK BLUE COVERALL WITH REFLECTIVE STRIPES FOR GENERAL MAINTENANCE, OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT AGAINST DUST AND LOW HAZARD CONTAMINANTS.

SPECIFICATIONS:

- HEAVY WEIGHT COVERALL 100% COTTON DRILL BOILER SUIT (190 - 200 G/M2).
- DARK BLUE (#0052A6 COLOR HEX) COLOR.
- TWO OUTSIDE BREAST POCKETS (14*18) CM WITH METAL SNAP BUTTONS CLOSURE.
- ONE LARGE BACK POCKET (18*18) CM.
- TWO FRONT SWING POCKETS WITH SIDE ACCESS.
- PEN POCKET ON LEFT SLEEVE.
- RIGHT RULE AND LEG POCKET (17*20) CM WITH VELCRO CLOSURE.
- CONCEALED HEAVY-DUTY BRASS ZIPPER UNDER STORM FLAP IN FRONT.
- BACKSIDE PLEATS & ELASTIC WAIST INSERTS FOR COMFORT AND EASE OF MOVEMENT.
- SEAMS ARE TRIPLE STITCHED AND BAR TACKED AT POINTS OF STRAIN.
- JOPETROL LOGO SHALL BE POSTED ON THE LEFT SIDE CHEST POCKET.
- 5 CM GREY REFLECTIVE TAPES ON ARMS, LEGS AND SHOULDERS.
- CUFFS WITH METAL SNAP BUTTONS CLOSURE.
- ADJUSTABLE LEG BOTTOM WITH VELCRO.

REQUIREMENTS:

- FOLLOWING SHOULD BE CLEARLY SPECIFIED AND PROVIDED WITH THE OFFERS OTHERWISE, IT WILL BE CONSIDERED INCOMPLETE AND WILL BE EXCLUDED:
- MARKING/LABELING AND SIZE SHOULD BE ACCORDING TO EN 13402 (SIZE DESIGNATION OF CLOTHES) AND EN ISO 13688 (PROTECTIVE CLOTHING GENERAL REQUIREMENT).
 - UPDATED TECHNICAL DATASHEET FOR FABRIC AND STITCHES.
 - STORAGE & CLEANING INSTRUCTIONS.
 - TEST REPORT FOR OFFERED COTTON FABRIC SHOULD BE PROVIDED FROM NOTIFIED BODY.
 - SAMPLES OF THE OFFERED COVERALL ARE TO BE PROVIDED WITH THE OFFER FOR EVALUATION.
 - OFFERS NOT ACCOMPANIED WITH SAMPLES SHALL NOT BE EVALUATED.
 - PARTIAL DELIVERY AS NEEDED.

General Description 2

Jordan Petroleum Refinery Company
Quote Order

Date 06/09/2026
Page - 4

Order Number 26010310 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
----------	--------------	-------------	-------------	----------------	------------------	------	---------------------------	------------------------------	-------------------	-----------	--------

General Description 1 100193 DESCRIPTION :-

- CLEAR FACE SHEILD. STANDARD PERFORMANCE TO CE EN166.
- HEAD GEAR WITH PLASTIC BROWGUARD AND FULLY ADJUSTABLE HEADBAND.
- COMPLETE WITH A 200mm LONG CLEAR ACETATE VISOR.
- PROTECTION AGAINST FORIEGN PARTICLES, CHEMICAL SPLASH, DUST, HEAT, AND IMPACT RESISTANT.

REQUIREMENTS :-

- 1- TECHNICAL DATA SHEET (INFORMATION AND INSPECTION FOR USE, CLEANING STORAGE, STANDARDS NO., NAME AND FULL ADDRESS OF THE MANUFACTURER).
- 2- MARKING (SIZE, SERIAL NO. OF PRODUCT MANUFACTURERS IDENTIFICATION MARK, MANUFACTURER TYPE DESIGNATION, YEAR OF MANUFACTURER STANDARDS, GUARANTEE OF CONFORMING TO EUROPEAN STANDARDS).
- 3- TEST CERTIFICATED.
- 4- CERTIFICATES OF CONFORMITY WITH STANDARDS.
- 5- CATALOGUES.
- 6- SAMPLES SHALL BE PROVIDED.

General Description 2

5 1000002040 FACE SHIELD PLASTIC.

102.000 EA

26010594 OR

2

General Description 1 100125 DARK BLUE COVERALL:

DARK BLUE COVERALL WITH REFLECTIVE STRIPES FOR GENERAL MAINTENANCE, OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT AGAINST DUST AND LOW HAZARD CONTAMINANTS.

SPECIFICATIONS:

- HEAVY WEIGHT COVERALL 100% COTTON DRILL BOILER SUIT (190 - 200 G/M2).
- DARK BLUE (#0052A6 COLOR HEX) COLOR.

Order Number 26010310 OQ 00001

Line No.	VOCAB Number	Description	Part Number	Drawing Number	Ordered Quantity	Unit	Supplier Offer Unit Price	Supplier Offer Currency Code	Original Order No	Orig Type	LineNo
		· TWO OUTSIDE BREAST POCKETS (14*18) CM WITH METAL SNAP BUTTONS CLOSURE.									
		· ONE LARGE BACK POCKET (18*18) CM.									
		· TWO FRONT SWING POCKETS WITH SIDE ACCESS.									
		· PEN POCKET ON LEFT SLEEVE.									
		· RIGHT RULE AND LEG POCKET (17*20) CM WITH VELCRO CLOSURE.									
		· CONCEALED HEAVY-DUTY BRASS ZIPPER UNDER STORM FLAP IN FRONT.									
		· BACKSIDE PLEATS & ELASTIC WAIST INSERTS FOR COMFORT AND EASE OF MOVEMENT.									
		· SEAMS ARE TRIPLE STITCHED AND BAR TACKED AT POINTS OF STRAIN.									
		· JOPETROL LOGO SHALL BE POSTED ON THE LEFT SIDE CHEST POCKET.									
		· 5 CM GREY REFLECTIVE TAPES ON ARMS, LEGS AND SHOULDERS.									
		· CUFFS WITH METAL SNAP BUTTONS CLOSURE.									
		· ADJUSTABLE LEG BOTTOM WITH VELCRO.									

REQUIREMENTS:

- FOLLOWING SHOULD BE CLEARLY SPECIFIED AND PROVIDED WITH THE OFFERS OTHERWISE, IT WILL BE CONSIDERED INCOMPLETE AND WILL BE EXCLUDED:
- MARKING/LABELING AND SIZE SHOULD BE ACCORDING TO EN 13402 (SIZE DESIGNATION OF CLOTHES) AND EN ISO 13688 (PROTECTIVE CLOTHING GENERAL REQUIREMENT).
 - UPDATED TECHNICAL DATASHEET FOR FABRIC AND STITCHES.
 - STORAGE & CLEANING INSTRUCTIONS.
 - TEST REPORT FOR OFFERED COTTON FABRIC SHOULD BE PROVIDED FROM NOTIFIED BODY.
 - SAMPLES OF THE OFFERED COVERALL ARE TO BE PROVIDED WITH THE OFFER FOR EVALUATION.
 - OFFERS NOT ACCOMPANIED WITH SAMPLES SHALL NOT BE EVALUATED.
 - PARTIAL DELIVERY AS NEEDED.

General Description 2

6	1000001050	DARK BLUE COVERALL, SIZE: 10	76.000 EA	26010593 OR	3
7	1000001036	DARK BLUE COVERALL, SIZE: 6	64.000 EA	26010593 OR	1

Purchasing Manager :

Remarks of Purchasing Department :

Order No. (26010593)

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
A	TECHNICAL:	
Item No. 1		
1	Dark blue coverall with reflective stripes for general maintenance, operation and industrial purposes. To protect against dust and low hazard contaminants.	
2	Specifications:	
2-1	Heavy weight coverall 100% cotton drill boiler suit (190 - 200 g/m ²).	
2-2	Dark blue (#0052a6 color hex) color.	
2-3	Two outside breast pockets (14*18) cm with metal snap buttons closure.	
2-4	One large back pocket (18*18) cm.	
2-5	Two front swing pockets with side access.	
2-6	Pen pocket on left sleeve.	
2-7	Right rule and leg pocket (17*20) cm with Velcro closure.	
2-8	Concealed heavy-duty brass zipper under storm flap in front.	
2-9	Backside pleats & elastic waist inserts for comfort and ease of movement.	
2-10	Seams are triple stitched and bar tacked at points of strain.	
2-11	JOPETROL logo shall be posted on the left side chest pocket.	
2-12	5 cm grey reflective tapes on arms, legs and shoulders.	
2-13	Cuffs with metal snap buttons closure.	
2-14	Adjustable leg bottom with Velcro.	
15	Requirements: following should be clearly specified and provided with the offers otherwise, it will be considered incomplete and will be excluded:	
15-1	Marking/labeling and size should be according to EN 13402 (size designation of clothes) and EN ISO 13688 (Protective Clothing General Requirement).	
15-2	Updated technical datasheet for fabric and stitches.	
15-3	Storage & cleaning instructions.	
15-4	Test report for offered cotton fabric should be provided from notified body.	
15-5	Samples of the offered coverall are to be provided with the offer for evaluation. Offers not accompanied with samples shall not be evaluated.	

Order No. (26010594)

(Each point must be confirmed/commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
A	TECHNICAL:	
Item No. 1		
1	Particle filtering half mask according to the following specifications:	
2	Disposable mask to provide protection against none oil based particles.	
3	Conforms to EN 149:2001 - Respiratory Protective Devices- Filtering Half Masks to Protect Against Particles.	
4	Classification FFP3 to EN 149, NIOSH approved to N99.	
5	Reusable, recommended for sanding, grinding, sawing, sweeping, spray painting and insulating.	
6	Valved mask with adjustable padded nose clip.	
7	Marking: each item shall be clearly marked with the following:	
7-1	Manufacturer name, trade mark, identification.	
7-2	Class, efficiency.	
7-3	Standard No., year of publication.	
7-4	Year of end of shelf life on smallest packaging.	
7-5	Information pictogram.	
8	Requirements: the following shall be forwarded with the offers:	
8-1	Updated catalog.	
8-2	Detailed product specification sheet showing construction, limitation of use, standard no, ... etc.	
8-3	EC- type examination certificate from notified body, NIOSH approval certificate.	
8-4	Test certificates includes all required tests that illustrated in standard according to EN ISO 149:2001.	
8-5	Storage and cleaning instructions.	
8-6	Sample of the offered item.	
9	Application: to protect against particles such as those from:	
9-1	Grinding, sanding, sweeping, sawing.	
9-2	Handling of minerals, coal, catalyst.	
9-3	Spray of none oil based liquids.	
Item No. 2		
1	Clear face shield, standard performance to CE EN166.	
2	Head gear with plastic brow guard and fully adjustable headband.	
3	Complete with a 200mm long clear acetate visor.	
4	Protection against foreign particles, chemical splash, dust, heat, and impact resistant.	
5	Requirements:	
5-1	Technical data sheet (information and inspection for use, cleaning storage, standards no., name and full address of the manufacturer).	
5-2	Marking (size, serial no. of product manufacturers identification mark, manufacturer type designation, year of manufacturer standards, guarantee of conforming to European standards).	
5-3	Test certificated.	
5-4	Certificates of conformity with standards.	
5-5	Catalogues.	
5-6	Samples shall be provided.	

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
A	TECHNICAL:	
Item No. 1		
1	Description: continuous flow half facepiece airline respirator is designed to be supplied by an air compressor or air cylinder bank with clean respirable air free from contamination in particular carbon monoxide, with belt mounted pressure demand control regulator with quick disconnect assembly and with breathing hose.	
2	Suitable with welder's facepiece conforms to EN 14593 and EN 140, size: medium.	
3	The hose length:	
3-1	A- 50 ft (15.2 m) airline hose. Coupler and plug (HP) - 10 pieces.	
3-2	B- 100 Ft (30.40m) Airline Hose Coupler and Plug (HP) - 10 pieces	
4	Hose specifications:	
4-1	Airline hose high pressure NIOSH approved.	
4-2	Constructed from rugged polyvinyl chloride and reinforced with braided polyester yarn.	
4-3	These hoses provide a temperature range from (-28.8 °C to 65.5 °C) manufactured with brass Hansen quick -connect couplers.	
4-4	Maximum pressure is 185psi@70 of (12.76 bar@21.1 °C)	
5	Requirements:	
5-1	Technical data sheet (information and instructions for use, cleaning, storage standards No. performances product description).	
5-2	Marking (pictogram, size, name of manufacturer, year of manufacturer, all units of the same model shall be provided with a type-identifying marking, the marking shall be clearly visible and durable.	
5-3	Test certificate.	
5-4	Certificates of conformity with the standards-EN 14593, EN 140 and EN 132.	
5-5	Catalogues.	
5-6	Sample to be provided.	
5-7	Marking (size, serial no. of product manufacturers identification mark, manufacturer type designation, year of manufacturer standards, guarantee of conforming to European standards).	
5-8	Test certificated.	
5-9	Certificates of conformity with standards.	
5-10	Catalogues.	
5-11	Samples shall be provided.	

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
A	TECHNICAL:	
	Item No. 1	
1	Low energy impact protection to EN166(1)F.	
2	Class 1 wide polycarbonate lenses.	
3	With brow guard and side shields.	
4	Anti-scratch, anti-mist lenses.	
5	Heavy duty adjustable frame for good fit with cord.	
6	Soft adjustable nosepiece.	
7	For indoor/outdoor use.	
8	None eyes straining, suitable for all day wear.	
9	Requirements: the following shall be forwarded with the offers:	
9-1	Update technical catalogue, datasheet.	
9-2	Storage, cleaning instructions.	
9-3	Certificate of conformity with the standard.	
9-4	Samples to be provided with the offer.	
10	Application: general maintenance, operation and industrial purposes. To protect eyes against mechanical risks of low energy projectiles.	

Order No: OR-25010593

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1000001036	DARK BLUE COVERALL, SIZE: 6	EA	64.000		
2	1000001046	DARK BLUE COVERALL, SIZE: 5	EA	75.000		
3	1000001050	DARK BLUE COVERALL, SIZE: 10	EA	76.000		

Order No: OR- 26010594

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1000002015	PARTICLE FILTERING HALF MASK	EA	8724.000		
2	1000002040	FACE SHIELD PLASTIC .	EA	102.000		

Order No: OR-26010703

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1000006120	HALF FACE MASK AIRLINE	EA	20.000		

Order No: OR-26010704

No.	Vocab Number	Description	UOM	Quantity	Conformity	Deviations
1	1000002050	SAFETY SPECTACLES	EA	500.000		

09 (260/23/0)
Order No. (260/23/0)

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
1	Manufacturer name	
2	Full address	
3	Supplier name	
4	Full address	
5	Offer no.	
6	Offer validity (at least 90 days from closing date)	
7	Indicate the quoted currency.	
8	Indicate Country of Origin of goods offered	
9	Accordance to Jordan prevailing law, you should pay 6 per thousand of the total order to cover the REVENUE STAMPS	
10	Promised delivery date shall be provided.	
11	Price Inclusive/Exclusive Sales Tax	
12	Local supplier registration in the National E-Invoicing System	

SUPPLIER

No. 32811 JPR Purchasing Dept.

CURRENCY CODE
JOD

JUSTIFICATION

RE-ORDER POINT / STOCK REPLENISHMENT

بناءً على كتاب مدير دائرة السلامة والبيئة رقم (24156) تاريخ 2026/08/04
استدراج عروض من السوق المحلي

GENERAL DESCRIPTION CODE1: 100192

HALF FACE MASK AIRLINE RESPIRATORY WITH HOSES KIT

DESCRIPTION :

CONTINUOUS FLOW HALF FACEPIECE AIRLINE RESPIRATOR
IS DESIGNED TO BE SUPPLIED BY AN AIR COMPRESSOR OR AIR
CYLINDER BANK WITH CLEAN RESPIRABLE AIR FREE FROM
CONTAMINATION IN PARTTICULAR CARBON MONOXIDE,
WITH BELT MOUNTED PRESSURE DEMAND CONTROL
REGULATOR WITH QUICK
-DISCONNECT ASSEMBLY AND WITH BREATHING HOSE.
SUITABLE WITH WELDER,S FACEPEACE CONFORMS TO
EN 14594 AND EN 140, SIZE : MEDIUM.

THE HOSE LENGTH:

- A- 50 ft (15.2 m) airline hose. coupler and plug (HP) - 10 PIECES
B- 100 ft (30.40m) airline hose coupler and plug (HP) - 10 PIECES

HOSE SPECIFICATIONS:

- Airline hose high pressure NIOSH approved.
- Constructed form rugged polyvinyl chloride and reinforced with braided polyester yarn.
- These hoses provide a temperature range from(-28.8 °C to 65.5 °C) manufactured with brass Hansen quick -connect couplers.
- Maximum pressure is 185psi@70 oF (12.76 bar@21.1 °C)

000-26010310

Jordan Petroleum Refinery Company
INVENTORY SYSTEM
REQUISITION FOR MATERIALS

PAGE No.: 2
BRANCH PLANT: 2002
ORDER No.: 26010703
ORDER DATE: 06/08/2026
REQUIRED DATE: 06/03/2027
LAST REVISION DATE: 27/09/2018

Line Number	ITEM No.	DESCRIPTION	PART No.	DRAWING No.	UOM	QUANTITY	UNIT	WA	COST	NUMBER	LAST P.O	LAST IN	LAST P.O	COST	TYPE	ROQ	ROP	QTY	AVAIL
-------------	----------	-------------	----------	-------------	-----	----------	------	----	------	--------	----------	---------	----------	------	------	-----	-----	-----	-------

REQUIREMENTS :

- TECHNICAL DATA SHEET (INFORMATION AND INSTRUCTIONS FOR USE, CLEANING ,STORAGE STANDARDS NO.PERFORMANCES PRODUCT DESCRIPTION).
- MARKING (PICTOGRAM,SIZE,NAME OF MANUFACTURER,YEAR OF MANUFACTURER,ALL UNITS OF THE SAME MODEL SHALL BE PROVIDED WITH A TYPE-IDENTIFYING MARKING ,THE MARKING SHALL BE CLEARLY VISIBLE AND DURABLE.
- TEST CERTIFICATE.
- CERTIFICATES OF CONFORMITY WITH THE STANDARDS-EN 14594,EN 140 AND EN 132.
- CATALOGUES.
- SAMPLE TO BE PROVIDED

2026-10-01
2026-10-01

2026-10-01

19104

1 1000006120 HALF FACE MASK AIRLINE RESPIRATORY W

20,000 371.64 18000429 371.64 OF 20 10 4

ORDER 7,432,762

REQUISITIONER

NAME Osama Qatouni | Laith Almomani

SIGN. 

DATE 12-28 12-08

SAFETY AND

NAME

SIGN

DATE

Osama AlMasri



08.26

MANAGEMENT

NAME Eng. Ibrahim AL-Mashaqbeh

SIGN. 

DATE 18/09/2026

R55V3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:35:03

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 1

BRANCH PLANT: 2002

ORDER No.: 26010593

ORDER DATE: 20/07/2026

REQUIRED DATE: 20/02/2027

LAST REVISION DATE: 14/02/2021

SUPPLIER

No. NAME

113062 السوق المحلي

CURRENCY CODE

JOD

JUSTIFICATION

RE-ORDER POINT / STOCK REPLENISHMENT

بناء على كتاب مدير دائرة السلامة والبيئة رقم (24156) تاريخ 2026/08/04
استدراج عروض من السوق المحلي

GENERAL DESCRIPTION CODE1: 100125

DARK BLUE COVERALL:

DARK BLUE COVERALL WITH REFLECTIVE STRIPES FOR GENERAL MAINTENANCE, OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT AGAINST DUST AND LOW HAZARD CONTAMINANTS.

SPECIFICATIONS:

- HEAVY WEIGHT COVERALL 100% COTTON DRILL BOILER SUIT (190 - 200 G/M2).
- DARK BLUE (#0052A6 COLOR HEX) COLOR.
- TWO OUTSIDE BREAST POCKETS (14*18) CM WITH METAL SNAP BUTTONS CLOSURE.
- ONE LARGE BACK POCKET (18*18) CM.
- TWO FRONT SWING POCKETS WITH SIDE ACCESS.
- PEN POCKET ON LEFT SLEEVE.
- RIGHT RULE AND LEG POCKET (17*20) CM WITH VELCRO CLOSURE.
- CONCEALED HEAVY-DUTY BRASS ZIPPER UNDER STORM FLAP IN FRONT.
- BACKSIDE PLEATS & ELASTIC WAIST INSERTS FOR COMFORT AND EASE OF MOVEMENT.
- SEAMS ARE TRIPLE STITCHED AND BAR TACKED AT POINTS OF STRAIN.
- JOPELROL LOGO SHALL BE POSTED ON THE LEFT SIDE CHEST POCKET.
- 5 CM GREY REFLECTIVE TAPES ON ARMS, LEGS AND SHOULDERS.
- CUFFS WITH METAL SNAP BUTTONS CLOSURE.
- ADJUSTABLE LEG BOTTOM WITH VELCRO.

R55V3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:35:03

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 2

BRANCH PLANT: 2002

ORDER No.: 26010593

ORDER DATE: 20/07/2026

REQUIRED DATE: 20/02/2027

LAST REVISION DATE: 14/02/2021

Line Number	ITEM No.	DESCRIPTION	PART No.	DRAWING No.	ORDERED QUANTITY	UOM	UNIT WA	LAST P.O	LAST IN	LAST P.O	COST	TYPE	ROQ	ROP	QTY	AVAIL.
-------------	----------	-------------	----------	-------------	------------------	-----	---------	----------	---------	----------	------	------	-----	-----	-----	--------

REQUIREMENTS:

FOLLOWING SHOULD BE CLEARLY SPECIFIED AND PROVIDED WITH THE OFFERS OTHERWISE, IT WILL BE CONSIDERED INCOMPLETE AND WILL BE EXCLUDED:

· MARKING/LABELING AND SIZE SHOULD BE ACCORDING TO EN 13402 (SIZE DESIGNATION OF

CLOTHES)

AND EN ISO 13688 (PROTECTIVE CLOTHING GENERAL REQUIREMENT).

· UPDATED TECHNICAL DATASHEET FOR FABRIC AND STITCHES.

· STORAGE & CLEANING INSTRUCTIONS.

· TEST REPORT FOR OFFERED COTTON FABRIC SHOULD BE PROVIDED FROM NOTIFIED BODY.

· SAMPLES OF THE OFFERED COVERALL ARE TO BE PROVIDED WITH THE OFFER FOR

EVALUATION.

OFFERS NOT ACCOMPANIED WITH SAMPLES SHALL NOT BE EVALUATED.

· PARTIAL DELIVERY AS NEEDED.

1	1000001036	DARK BLUE COVERALL, SIZE: 6
2	1000001046	DARK BLUE COVERALL, SIZE: 5
3	1000001050	DARK BLUE COVERALL, SIZE: 10

EA	64.000	9.99	25010170	9.80	OL	100	55	36
EA	75.000	10.50	25010170	9.80	OL	100	55	25
EA	76.000	10.72	23010371	11.62	OL	100	55	24

TOTAL ORDER 2,245.373

REQUISITIONER

Anas Qandeel | Laith Almomani

NAME

06/08 09:08

CHECKED BY

SAFETY AND ENVIRONMENTAL DEPT. HEAD

Eng. Ahmad Abdelal

NAME

17/08-26

STORES

DEPT. HEAD

Eng. Gutaiba AlMasri

NAME

17.08.26

MANAGEMENT

Eng. Ibrahim AL-Mashaqbeh

NAME

18/8/25

R55V3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:38:01

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 1

BRANCH PLANT: 2002

ORDER No.: 26010594

ORDER DATE: 20/07/2026

REQUIRED DATE: 20/08/2026

LAST REVISION DATE: 17/06/2017

SUPPLIER

No. NAME

114172 OCAS LIMITED

CURRENCY CODE

JOD

JUSTIFICATION

RE-ORDER POINT / STOCK REPLENISHMENT

بناء على كتاب مدير دائرة السلامة والبيئة رقم (24156) تاريخ 2026/08/04
استدراج عروض من السوق المحلي

GENERAL DESCRIPTION CODE1: 100017

* PARTICLE FILTERING HALF MASK ACCORDING TO THE FOLLOWING SPECIFICATIONS:

- DISPOSABLE MASK TO PROVIDE PROTECTION AGAINST NONE OIL BASED PARTICLES.
- CONFORMS TO EN 149:2001 - RESPIRATORY PROTECTIVE DEVICES- FILTERING HALF MASKS TO PROTECT AGAINST PARTICLES.
- CLASSIFICATION FFP3 TO EN 149, NIOSH APPROVED TO N99.
- REUSABLE, RECOMMENDED FOR SANDING, GRINDING, SAWING, SWEEPING, SPRAY PAINTING AND INSULATING.
- VALVED MASK WITH ADJUSTABLE PADDED NOSE CLIP.

MARKING:

*EACH ITEM SHALL BE CLEARLY MARKED WITH THE FOLLOWING:-

- MANUFACTURER NAME, TRADE MARK, IDENTIFICATION.
 - CLASS, EFFICIENCY.
 - STANDARD NO., YEAR OF PUBLICATION.
 - YEAR OF END OF SHELF LIFE ON SMALLEST PACKAGING.
- INFORMATION PICTOGRAM.

REQUIREMENTS

*THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:

R55V3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:38.01

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 2

BRANCH PLANT: 2002

ORDER No.: 26010594

ORDER DATE: 20/07/2026

REQUIRED DATE: 20/08/2026

LAST REVISION DATE: 17/06/2017

Line Number	ITEM No.	DESCRIPTION	PART No.	DRAWING No.	ORDERED UOM	UNIT WA COST	LAST P.O. NUMBER	LAST IN LAST P.O. COST	TYPE	ROQ	ROP	QTY AVAIL.
-------------	----------	-------------	----------	-------------	-------------	--------------	------------------	------------------------	------	-----	-----	------------

- UPDATED CATALOG.
 - DETAILED PRODUCT SPECIFICATION SHEET SHOWING CONSTRUCTION, LIMITATION OF USE, STANDARD NO, ETC.
 - EC- TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY, NIOSH APPROVAL CERTIFICATE.
 - TEST CERTIFICATES INCLUDES ALL REQUIRED TESTS THAT ILLUSTRATED IN STANDARD ACCORDING TO .EN ISO 149:2001.
 - STORAGE AND CLEANING INSTRUCTIONS.
 - SAMPLE OF THE OFFERED ITEM
- APPLICATION:
- * TO PROTECT AGAINST PARTICLES SUCH AS THOSE FROM :
 - GRINDING, SANDING, SWEEPING, SAWING.
 - HANDLING OF MINERALS, COAL , CATALYST.
 - SPRAY OF NONE OIL BASED LIQUIDS.

1	1000002015	PARTICLE FILTERING HALF MASK	EA	8724,000	.86	25010368	.83	OL	10000	5000	1276
---	------------	------------------------------	----	----------	-----	----------	-----	----	-------	------	------

GENERAL DESCRIPTION CODE1: 100193

DESCRIPTION :-

- CLEAR FACE SHEILD, STANDARD PERFORMANCE TO CE EN166.
- HEAD GEAR WITH PLASTIC BROWGUARD AND FULLY ADJUSTABLE HEADBAND.

R55Y3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:38:01

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 3

BRANCH PLANT: 2002

ORDER No.: 26010594

ORDER DATE: 20/07/2026

REQUIRED DATE: 20/08/2026

LAST REVISION DATE: 17/06/2017

Line Number	ITEM No.	DESCRIPTION	PART No.	DRAWING No.	UOM	ORDERED QUANTITY	UNIT WA COST	LAST WA NUMBER	LAST P.O COST	LAST IN LAST P.O TYPE	ROQ	ROP	QTY AVAIL.
-------------	----------	-------------	----------	-------------	-----	------------------	--------------	----------------	---------------	-----------------------	-----	-----	------------

- COMPLETE WITH A 200mm LONG CLEAR ACETATE VISOR.
- PROTECTION AGAINST FORIEGN PARTICLES, CHEMICAL SPLASH, DUST, HEAT, AND IMPACT RESISTANT.

REQUIREMENTS :-

- 1- TECHNICAL DATA SHEET (INFORMATION AND INSPECTION FOR USE, CLEANING STORAGE, STANDARDS NO., NAME AND FULL ADDRESS OF THE MANUFACTURER).
- 2- MARKING (SIZE, SERIAL NO. OF PRODUCT MANUFACTURERS IDENTIFICATION MARK, MANUFACTURER TYPE DESIGNATION, YEAR OF MANUFACTURER STANDARDS, GUARANTEE OF CONFORMING TO EUROPEAN STANDARDS).
- 3- TEST CERTIFICATED.
- 4- CERTIFICATES OF CONFORMITY WITH STANDARDS.
- 5- CATALOGUES.
- 6- SAMPLES SHALL BE PROVIDED.

2 1000002040 FACE SHIELD PLASTIC.

EA

102.000

7.14

21010386

7.14

OL

108

84

6

TOTAL ORDER 7,968.985

CHECKED BY

STORES

DEPT. HEAD

SAFETY AND ENVIRONMENTAL DEPT. HEAD

DEPT. HEAD

MANAGEMENT

NAME Anas Qandeel | Laith Almomani

NAME Eng. Ahmad Abdelal

NAME Eng. Gutaiba AIMasri

NAME Eng. Ibrahim AL-Mashaqbeh

SIGN.  06/08 09-08

SIGN.  17/8/2026

SIGN.  18.08.26

SIGN.  18/8/2026

R55V3A01EC

REPORT DATE: 06/08/2026

REPORT TIME: 11:43:06

Jordan Petroleum Refinery Company

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

PAGE No.: 1
BRANCH PLANT: 2002
ORDER No.: 26010704
ORDER DATE: 06/08/2026
REQUIRED DATE: 06/03/2027
LAST REVISION DATE: 06/09/2021

SUPPLIER

No. 32811 JPR Purchasing Dept.

CURRENCY CODE

JOD

JUSTIFICATION

RE-ORDER POINT / STOCK REPLENISHMENT

بناء على كتاب مدير دائرة السلامة والبيئة رقم (24156) تاريخ 04/08/2026.
استدراج عروض من السوق المحلي

GENERAL DESCRIPTION CODE1: 100022

SAFETY SPECTACLES ACCORDING TO FOLLOWING SPECIFICATIONS:

- LOW ENERGY IMPACT PROTECTION TO EN166(1)F.
- CLASS 1 WIDE POLYCARBONATE LENSES.
- WITH BROW GUARD AND SIDE SHIELDS.
- ANTI SCRATCH, ANTI MIST LENSES.
- HEAVY DUTY ADJUSTABLE FRAME FOR GOOD FIT WITH CORD.
- SOFT ADJUSTABLE NOSEPIECE.
- FOR IN DOOR/OUT DOOR USE.
- NONE EYES STRAINING,SUITABLE FOR ALL DAY WEAR

* REQUIREMENTS

- * THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:
- UPDATE TECHNICAL CATALOGUE,DATASHEET.
- STORAGE,CLEANING INSTRUCTIONS.
- CERTIFICATE OF CONFORMITY WITH THE STANDARD.
- SAMPLES TO BE PROVIDED WITH THE OFFER.

APPLICATION:

GENERAL MAINTENANCE,OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT EYES AGAINST MECHANICAL RISKS OF LOW ENERGY PROJECTILES.

تمت الموافقة على الطلب
مدير المشتريات
06/08/2026

R55V3A01EC

Jordan Petroleum Refinery Company

PAGE No.: 2

REPORT DATE: 06/08/2026

INVENTORY SYSTEM

REQUISITION FOR MATERIALS

BRANCH PLANT: 2002

REPORT TIME: 11:43:06

ORDER No.: 26010704

ORDER DATE: 06/08/2026

REQUIRED DATE: 06/03/2027

LAST REVISION DATE: 06/09/2021

Line Number	ITEM No.	DESCRIPTION	PART No.	DRAWING No.	ORDERED QUANTITY	UNIT WA COST	LAST P.O NUMBER	LAST IN COST	TYPE	ROQ	ROP	QTY AVAIL.
-------------	----------	-------------	----------	-------------	------------------	--------------	-----------------	--------------	------	-----	-----	------------

1	1000002050	SAFETY SPECTACLES			EA	500.000	3.58	20010339	2.91	OL	2000	1550	287
---	------------	-------------------	--	--	----	---------	------	----------	------	----	------	------	-----

TOTAL ORDER 1,456,900

CHECKED BY

REQUISITIONER

SAFETY AND ENVIRONMENTAL DEPT. HEAD

STORES

DEPT. HEAD

MANAGEMENT

NAME Anas Qandeel | Laith Almomani

NAME Eng. Ahmad Abdelal

NAME Eng. Gutaiba AlMasri

NAME Eng. Ibrahim AL-Mashaqbeh

SIGN. 

SIGN. 

SIGN. 


SIGN. 

DATE 06/08 9.08

DATE 17/8/2026

DATE 17-08-26

DATE 18/8/2026



Order No. (26010704)

(Each point must be confirmed/ commented upon and must be submitted along with the offer)

SN	Requirement	Vendor's confirmation/ acceptance/ comments to be mentioned for each item
1	Manufacturer name	
2	Full address	
3	Supplier name	
4	Full address	
5	Offer no.	
6	Offer validity (at least 90 days from closing date)	
7	Indicate the quoted currency.	
8	Indicate Country of Origin of goods offered	
9	Accordance to Jordan prevailing law, you should pay 6 per thousand of the total order to cover the REVENUE STAMPS	
10	Promised delivery date shall be provided.	
11	Price Inclusive/Exclusive Sales Tax	
12	Local supplier registration in the National E-Invoicing System	

سراج

سراج

٩١٣

سراج

العنوان البرقي : جوبترول

صندوق بريد : 1079

رقم الهاتف : 4630151 - 4657934

فاكس : 4657939 ، 4657934

شركة مصفاة البترول الأردنية المساهمة المحدودة
عمان - المملكة الأردنية الهاشمية

من : المدير التنفيذي لخدمات الشركة / المشتريات	إلى : عطوفة الرئيس التنفيذي
الرقم: 27369 / 5/28/16	التاريخ: 2026/q //
الموضوع :- طرح مناقصات.	

يرجى التكرم بالموافقة على طرح طلبات المواد التالية بمناقصات معلنه بالصحف اليومية وعلى النحو التالي:-

1. مناقصة رقم (2026/150) طلبات مواد ارقام (26010703 + 26010593 + 26010594 + 26010704) لوازم سلامة عامة والتي تبلغ قيمتها التقديرية (19104) تسعة عشر ألفاً ومائة وأربعة دنانير أردنية .

2. مناقصة رقم (2026/151) طلب مواد رقم (26010486) (جهاز تشكيل النحاس المتنقل) والتي تبلغ قيمتها التقديرية (7000) سبعة الاف ديناراً اردنياً.

وتفضلوا بقبول فائق الاحترام،،،

سراج

م. د. خدمات الشركة. نائب الرئيس التنفيذي	رقم التسجيل	رقم الملف
3 SEP 2026		
المشتريات	الوحدة القانونية	الوحدة لخدمة المعلومات
م. د. صندوق التشغيل	وحدة الرقابة	م. د. ح. د.

شركة مصفاة البترول الأردنية		
المسجلين:	١٢٤٧٧	
الملف:	٩١٤٤	
الخدمات الطبية	2 - SEP 2026	
وقت معالجة	وقت معالجة	وقت معالجة
الموارد البشرية	الموارد البشرية	الموارد البشرية
شركة الغاز	شركة الكهرباء	شركة المياه