



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

مناقصة: رقم (115 / 2026) طلبي المواد ارقام (26010152+26010155) أدوات سلامة.

الموضوع: - دعوة للاشتراك في مناقصة محلية

ترغب شركة مصفاة البترول الاردنية بشراء المواد المبينة تفصيلها ومواصفاتها الفنية في الكشف المرفق وباعتباركم مورداً لهذه المواد نوجه هذه الدعوة لكم للاشتراك بالمناقصة اعلاه وتقديم عرض سعر للمواد المطلوبة مع الالتزام بكافة الشروط والمواصفات المطلوبة، وفيما يلي الشروط العامة للمناقصة: -

1. تقديم عرض الأسعار على (نسختين) قبل الموعد المحدد لإغلاق المناقصة ضمن ظرف مغلق ومختوم مبينا عليه رقم المناقصة وتاريخ الاغلاق واسم وعنوان المناقص ويسلم باليد الى (دائرة المشتريات الإدارة العامة - جبل عمان - الدوار الأول) ولا يقبل اي عرض يرسل بالفاكس نهائياً.
2. يجب ان يكون عرض الاسعار مروس باسم وعنوان المورد موقعاً ومختوماً بالخاتم الرسمي للمناقص ومرفقاً بصورة الشروط موقعة ومختومة لتأكيد التزامكم بكافة الشروط والمواصفات وكذلك تقديم صورة من السجل التجاري ورخصة المهن سارية المفعول.
3. على المناقص تثبيت الاسعار الافردية والاجمالية في عرض الاسعار رقما وكتابة بخط واضح دون تصحيح او كشط او محو او تعديل.
4. على المناقص بيان الشروط التالية في عرض الأسعار وبشكل واضح: -
 - شمول السعر لضريبة المبيعات 16% او اية نسبة تحدد بعرض السعر والرسوم الجمركية.
 - في حال وجود اي خدمة اضافية يراد تقديمها في العرض وغير واردة في مواصفات طلب المواد او امر الشراء يجب ان يتم ذكرها بالتفصيل وان يتم بيان كلفتها المالية بشكل واضح.
 - مدة صلاحية الأسعار يجب الا تقل عن (60) يوم من تاريخ اغلاق المناقصة وخلاف ذلك يحق لشركة مصفاة البترول استبعاد العرض.
 - اجور النقل الى مستودعاتنا موقع المصفاة الزرقاء.
 - ان تكون المواد المعروضة جديدة وغير مستعملة او مجددة وخالية من العيوب مع بيان سنة الصنع.
 - تحديد منشأ البضاعة والالتزام بتقديم شهادة بلد المنشأ عند توريد المواد (مصدقة اصولاً او تشير للبيان الجمركي) وتحديد اسم الشركة الصانعة، مده التوريد، مكان التسليم
5. الشركة غير ملزمة بالإحالة على اقل الاسعار ويحق لها رفض اي عرض دون ابداء الأسباب.

السما

ER



شركة مصفاة البترول الاردنية المساهمة المحدودة

عمان - الأردن

6. يحق للشركة الغاء المناقصة او اعادة طرحها او شراء جزء منها او التعديل على الكميات المطلوبة دون بيان الاسباب ودون ان تتحمل اي مسؤولية أياً كان نوعها.
7. على المناقص عدم مراجعة اي جهة فنية في الشركة الا بالتنسيق مع دائرة المشتريات.
8. المواد المطلوبة خاضعة للزيادة والنقصان بنسبة $\pm 25\%$.
9. على المناقص الالتزام بقبول الإحالة الجزئية.
10. على المناقص الالتزام بتقديم عينات مجانية للمواد المعروضة في حال طلبها حسب ما هو مطلوب وشهادات الفحص المبينة في الشروط المرفقة او كتالوجات لأي من البنود المطلوبة مع العرض.
11. على المناقص الالتزام بدفع قيمة طوابع الواردات والبالغة (6) بالآلف على قرار الاحالة خلال عشرة ايام من تبليغه بقرار الإحالة.
12. على المناقص تقديم كفالة حسن تنفيذ غير مشروطة بنسبة 10% من القيمة الاجمالية بعد تبليغه بقرار الاحالة تبقى سارية المفعول لحين استلام المواد والموافقة عليها.
13. يتم دفع ثمن المواد المشتراة بعد استلام المواد في مستودعات الشركة وبعد صدور سند استلام يؤكد استلامها كاملة ومطابقة للشروط والمواصفات.
14. في حال تأخير توريد او تنفيذ المناقصة حسب ما تم الاتفاق عليه يترتب عليكم غرامة قدرها (20) دينار أردني عن كل يوم تأخير على ان لا تتجاوز 5% من قيمة الإحالة.
15. في حال اخلال المتعهد المحال عليه المناقصة باي من الالتزامات، يحق للشركة الغاء الاحالة واللجوء الى طرف ثالث دون الحاجة لأي اخطار او انذار عادي او عدلي ودون الحاجة لمراجعة القضاء وتحميل المتعهد كافة التكاليف المترتبة على ذلك.
16. إذا عجز المورد المحال عليه المناقصة عن التوريد أو تأخر في تقديم كمية من أصل المناقصة أو عجز عن تقديم أية كمية في وقتها المحدد أو إذا ثبت أن أحد المناقصين قدم للشركة لوازم أو قام بأداء خدمات بطرق الغش، لشركة مصفاة البترول الحق بما يلي:
 - مصادرة كفالة حسن التنفيذ المقدمة للمناقصة أو جزء منها، وقيد المبلغ المصادر إيراداً لحساب الشركة.
 - القيام بشراء اللوازم من الأسواق المحلية أو الأجنبية بالأسعار الرائجة والرجوع على المناقص بفرق السعر وخصم ذلك من الكفالة، أو إحالة المناقصة او جزء منها على السعر الذي يليه مع تحميل المستكف فرق السعر
 - حرمان المناقص من الدخول في العطاءات/ المناقصات للمدة التي تراها الشركة مناسبة.
17. تعتبر هذه الشروط جزءاً لا يتجزأ من المناقصة وعلى المورد الالتزام بما جاء فيها.

الم

ER



شركة مصفاة البترول الاردنية المساهمة المحدودة
عمان - الأردن

18. اخر موعد لقبول واستلام العروض الساعة الثالثة من ظهر يوم الخميس **2026/05/07** وتسلم لدائرة المشتريات - الادارة العامة - جبل عمان - الدوار الأول - الطابق الأول - مكتب 10 ولن يقبل أي عرض بعد الموعد المذكور.
19. في حال وجود أي استفسار يتم إرساله بالبريد الإلكتروني على العنوان (Purchasing@jopetrol.com.jo).
20. يجب ان تكون الفاتورة المقدمة من قبلكم في حال شراء السلع او تقديم خدمة وفقا" لنظام تنظيم شؤون الفوترة والرقابة عليها رقم (34) لسنة 2019 وسيتم رفض أي فاتورة لا تكون وفقا" للنظام أعلاه.
- كما يشترط تقديم البيانات التالية على الفواتير الصادرة من قبلكم: -
- الاسم الكامل للشخص أو الشركة أو المفوض بالتوقيع وختم الشركة الرسمي او المفوض بالتوقيع وتوقيعه.
- الرقم الوطني الكامل للشخص أو الشركة أو المفوض بالتوقيع.
- العنوان الكامل بالإضافة إلى رقم الهاتف والصندوق البريدي والرمز البريدي.
- الرقم الضريبي للشخص أو الشركة إن وجد.

لح

**Jordan Petroleum Refinery Company
Quote Order**

Order Number 26010107 OQ 00001

Delivery Instructions

Branch/Plant 2002
Order Date 02/04/2026
Request Date 04/09/2026
Freight Handling

- General Description 1 100018** HELMETS, SAFETY FIBRE GLASS, COMPLETE, WITH CHIN STRAP.
- General Description 2 100021** FACE-SHIELD ACCORDING TO THE FOLLOWING SPECIFICATIONS:-
 - * PROVIDE FACE PROTECTION FROM RADIANT HEAT AND PROTECT EYES FROM GLARE.
 - * TO BE MOUNTED ON HELMET.
 - * FACE-SHIELD ASSEMBLY INCLUDES 10" X 20" GOLD COATED MEDIUM GREEN TINT VISOR,VISOR CARRIES,AND ORANGE HELMET.
 - * SOFTENING / MELTING TEMPERATURE OF SHIELD EXCEEDS 140° C WITH SCRATCH RESISTANT VISOR.
 - * VISOR AND FRAME CONFORMS TO EN 166:2002.
 - * UPDATED CATALOGUES,CERTIFICATE OF CONFORMITY WITH STANDARD,DATA SHEET AND SAMPLE TO BE PROVIDE WITH THE OFFER.

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit | Supplier Offer Unit Price | Supplier Offer Currency Code | Original Order No | Original Type | Orig LineNo |
|----------|--------------|--|-------------|----------------|------------------|---------------------|---------------------------|------------------------------|-------------------|---------------|-------------|
| 1 | 1000002042 | FACE SHIELD FOR RADIANT HEAT AND GLARE | | | 5.000 | EA | | | 26010155 | OR | 1 |

General Description 1 100022 SAFETY SPECTACLES ACCORDING TO FOLLOWING SPECIFICATIONS:

- LOW ENERGY IMPACT PROTECTION TO EN166(1)F.
 - CLASS 1 WIDE POLYCARBONATE LENSES.
 - WITH BROW GUARD AND SIDE SHIELDS.
 - ANTI SCRATCH, ANTI MIST LENSES.
 - HEAVY DUTY ADJUSTABLE FRAME FOR GOOD FIT WITH CORD.
 - SOFT ADJUSTABLE NOSEPIECE.
 - FOR IN DOOR/OUT DOOR USE.
 - NONE EYES STRAINING,SUITABLE FOR ALL DAY WEAR
- * REQUIREMENTS

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010107 OQ 00001

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit Price | Supplier Offer Currency Code | Supplier Offer Order No | Orig Type | LineNo |
|----------|--------------|-------------|-------------|----------------|------------------|---------------------------|------------------------------|-------------------------|-----------|--------|
|----------|--------------|-------------|-------------|----------------|------------------|---------------------------|------------------------------|-------------------------|-----------|--------|

* THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:

- UPDATE TECHNICAL CATALOGUE,DATASHEET.
- STORAGE,CLEANING INSTRUCTIONS.
- CERTIFICATE OF CONFORMITY WITH THE STANDARD.
- SAMPLES TO BE PROVIDED WITH THE OFFER.

APPLICATION:

GENERAL MAINTENANCE,OPERATION AND INDUSTRIAL PURPOSES. TO PROTECT EYES AGAINST MECHANICAL RISKS OF LOW ENERGY PROJECTILES.

General Description 2 100163 SUITABLE TO BE WORN OVER CORRECTIVE GLASSES

| | | | | | | | | | | |
|---|------------|--------------------------------|--|--|------------|--|--|-------------|--|---|
| 2 | 1000002053 | SAFETY SPECTACLES.OVER GLASSES | | | 150.000 EA | | | 26010155 OR | | 2 |
|---|------------|--------------------------------|--|--|------------|--|--|-------------|--|---|

General Description 1 100028 CHEMICAL RESISTANT GOGGLE ACCORDING TO THE FOLLOWING SPECIFICATIONS:

- * LIGHT WEIGHT CHEMICAL RESISTANT GOGGLE.
- * SOFT SEAL TO PROVIDE COMFORTABLE FIT AND TO PROTECT FROM CHEMICAL SPLASHES.
- * ANTI SCRATCH,CLEAR,DURABLE POLY CARBONATE LENS PROVIDE A FULL FIELD OF VISION AND PROTECT FROM HIGH IMPACT.
- * ANTI FOG COATING AND VENTING SYSTEM TO MINIMIZE FOGGING.
- * FIT OVER MOST PRESCRIPTION EYEWEAR WITH ADJUSTABLE STRAPS.
- * CONFORMS TO EN : 166.

REQUIREMENTS

THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:

- * UPDATED TECHNICAL DATA SHEET(INFORMATION AND INSTRUCTION FOR USE,CLEANING STORAGE,STANDARDS NO.,PERFORMANCES PRODUCT DESCRIPTION AND RAW MATERIALS OF GOGGLES).
- *MARKING(PICTOGRAM,LEVEL OF PERFORMANCE,NAME OF MANUFACTURE).
- * TEST CERTIFICATE.
- * CERTIFICATE OF CONFORMITY WITH THE STANDARD EN 166.

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010107 OQ 00001

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit | Supplier Offer Price | Original Order No | Original Type | Orig LineNo |
|----------|--------------|---------------|-------------|----------------|------------------|---------------------|----------------------|-------------------|---------------|-------------|
| | | * CATALOGUES. | | | | | | | | |

General Description 2

| | | | | | | | | | | |
|---|------------|---------------------------|--|--|------------|--|--|-------------|--|---|
| 3 | 1000002075 | CHEMICAL RESISTANT GOGGLE | | | 143,000 EA | | | 26010155 OR | | 3 |
|---|------------|---------------------------|--|--|------------|--|--|-------------|--|---|

General Description 1

100225 THE SAFETY GOGGLES SHALL BE ENGINEERED FOR FULL COMPATIBILITY WITH OTHER PERSONAL PROTECTIVE EQUIPMENT (PPE), INCLUDING INDUSTRIAL HELMETS, HEARING PROTECTION DEVICES, AND RESPIRATORY HALF-MASK UNITS. THEY MUST FEATURE INDIRECT VENTILATION DESIGNED TO SAFEGUARD THE USER AGAINST EXPOSURE TO LIQUIDS, LARGE DUST PARTICLES, HOT SOLIDS, AND HIGH-SPEED MEDIUM-ENERGY IMPACTS.

SPECIFICATIONS:

- LENS: CLEAR POLYCARBONATE WITH UV FILTER (SHADE 2-1,2), ANTI-SCRATCH AND ANTI-FOG COATING, OPTICAL CLASS 1 AND RESISTANT TO HOT METAL SPARKS TYPICAL OF GRINDING OPERATIONS.
- FRAME: VENTED PVC FRAME WITH ADJUSTABLE HEADBAND ELASTIC NYLON STRAP OR COTTON-KNIT. (THE ELASTIC NYLON STRAP SHALL BE PREFERRED OVER COTTON-KNIT)
- LATERAL VISION: 120° WITH FULL SIDE PROTECTION
- IMPACT RATING: 120 M/S, CLASS B
- WEIGHT: LESS THAN 100 G.
- DESIGNED FOR REUSE AND COMPATIBILITY WITH OTHER PPE

STANDARDS & REQUIREMENTS:

- THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:
- UPDATED TECHNICAL DATA SHEET INCLUDING INSTRUCTIONS FOR USE, CATALOGUES, CLEANING, STORAGE, STANDARDS NUMBER, PERFORMANCE, PRODUCT DESCRIPTION, AND RAW MATERIALS.
 - PRODUCT MARKING (PICTOGRAM, LEVEL OF PERFORMANCE, MANUFACTURER NAME)
 - TEST CERTIFICATE AND CERTIFICATE OF CONFORMITY CONFIRMING COMPLIANCE WITH EN ISO 16321-1:2022 (EQUIVALENT TO EN 166 B – MEDIUM ENERGY IMPACT), INCLUDING DOCUMENTED UV PROTECTION IN THE TECHNICAL DATA SHEET WITH ACCREDITED TEST VERIFICATION
 - SAMPLE OF THE OFFERED SAFETY GOGGLES IS TO BE PROVIDED WITH THE OFFER FOR PERFORMANCE EVALUATION. OFFERS NOT ACCOMPANIED WITH SAMPLES SHALL NOT BE EVALUATED.
 - SHELF LIFE: APPROXIMATELY 3 YEARS.

APPLICATIONS:

- PROTECT USERS' EYES FROM FLYING DEBRIS, METAL PARTICLES, SPARKS, DUST GENERATED DURING GRINDING, AND UV LIGHT EXPOSURE
- SUITABLE FOR GRINDING, LIGHT WELDING, AND CUTTING OPERATIONS.
- SUITABLE FOR ENGINEERING WORKSHOPS, FACTORIES, WAREHOUSES, AND GENERAL INDUSTRIES WITHOUT

Jordan Petroleum Refinery Company
Quote Order

Order Number **26010107 OQ 00001**

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit | Supplier Offer Price | Supplier Offer Currency Code | Original Order No | Orig Type | LineNo |
|----------|--------------|-------------|-------------|----------------|------------------|---------------------|----------------------|------------------------------|-------------------|-----------|--------|
|----------|--------------|-------------|-------------|----------------|------------------|---------------------|----------------------|------------------------------|-------------------|-----------|--------|

COMPROMISING SAFETY.

General Description 2

| | | | | | | | | | | | |
|---|------------|-------------------------|---------|--|------------|--|--|--|-------------|--|---|
| 4 | 1000002090 | FULL- PROTECTION SAFETY | GOGGLES | | 400.000 EA | | | | 26010155 OR | | 4 |
|---|------------|-------------------------|---------|--|------------|--|--|--|-------------|--|---|

General Description 1 100070 -SELF CONTAINED BREATHING APPARATUS SET-SCABA-

OPEN CIRCUIT, SELF CONTAINED BREATHING APPARATUS ACCORDING TO THE FOLLOWING SPECIFICATION:

- * CONSISTS OF BACK-PLATE, CARRYING HARNESS, FULL FACE MASK AND PNEUMATIC SYSTEM, CONTAINING A REDUCER WITH INTEGRATED CYLINDER CONNECTOR, PRESSURE GAUGE, WHISTLE AND DEMAND VALVE.
- * MEDIUM SIZED, POSITIVE PRESSURE FULL FACE MASK MOLDED IN BLACK COLORED NEOPRENE CONFORMS TO EN 136 CLASS, USED BY FIRE FIGHTERS WITH 5 POINT FULLY ADJUSTABLE WEB, WITH NECK STRAP.
- * AIR FRAME CARRIER AND HARNESS WITH ADJUSTABLE FLAME RETARDANT POLYESTER WEBBING AND ADJUSTABLE KEVLER CYLINDER STRAP. STRAP BUCKLES ARE FLAME RETARDANT POLYAMIDE.
- * THE BACK-PLATE OF REINFORCED COMPOSITE MATERIAL THAT CONFORMS TO THE USER BACK WITH FOAM BACK PAD.
- THE SYSTEM INCLUDES A ROBUST SHOULDER MOUNTED PRESSURE INDICATOR WITH PHOTO-LUMINESCENT FACE MARKINGS FOR LOW-LIGHT WITH PROTECTIVE RUBBER SHROUD.
- * REDUCING VALVE WITH A PRESSURE RELIEF AND A FLOW RESTRICTOR TO GAUGE SUPPLY HOSE WITH 6.8 LITER CARBON FIBER CYLINDER FOR HIGH-PRESSURE(4500 PSIG), APPARATUS IS NIOSH APPROVED, CE MARKED AND CONFORMS TO EN 137:2006 TYPEZ.
- * CONSTRUCTION OF SCBA SHALL BE OF MATERIAL THAT WILL NOT CAUSE ANY SPARKS.

APPLICATION :

- TO PROVIDE BREATHABLE AIR WHILST :
- * INDUSTRIAL FIRE FIGHTING.
 - * RESCUE, MAINTENANCE AND OPERATIONAL ACTIVITIES IN IDLH (IMMEDIATE DANGER TO LIFE AND HEALTH) ATMOSPHERES IN CONFINED SPACES

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010107 OQ 00001

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit | Supplier Offer Unit Price | Supplier Offer Currency Code | Original Order No | Orig Type | LineNo |
|----------|--------------|------------------------------------|-------------|----------------|------------------|---------------------|---------------------------|------------------------------|-------------------|-----------|--------|
| 5 | 1000006106 | SELF CONTAINED BREATHING APPARATUS | | | 6,000 | ST | | | 26010155 | OR | 5 |

OF TOXIC GASES OR OXYGEN DEFICIENT ATMOSPHERES.
REQUIREMENTS :

- THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS:
- * UPDATED CATALOG.
 - * DETAILED PRODUCT SPECIFICATION SHEET SHOWING CONSTRUCTION, LIMITATION OF USE, STANDARD NO..... ETC.
 - * CERTIFICATE OF CONFORMITY WITH CONCERNED STANDARDS FROM NOTIFIED BODY.
 - * STORAGE AND CLEANING INSTRUCTIONS.
 - * SAMPLE TO BE PROVIDED WITH OFFERS.

General Description 2

General Description 1 100055 SAFETY FOOT WEAR BOOT ACCORDING TO THE FOLLOWING SPECIFICATIONS:

- CONFORMS TO EN ISO 20345 LATEST ISSUE -PERSONAL PROTECTIVE EQUIPMENT-SAFETY FOOT WEAR
- CLASSIFICATION (I). BOOT (HIGH CUT DESIGN - B)
- CATEGORY: S3, (HRO 3000), SRC, WR.
- BLACK ANKLE GRAIN, FULL GRAIN LEATHER.
- SAFETY FOOT WEAR ACCORDING TO CLASSIFICATION (I) OF RELEVANT STANDARD.
- STEEL OR COMPOSITE MATERIAL TOE CAP & INSOLE.
- ANTI STATIC.
- NITRILE SOLE/OUTSOLE RESISTANT TO ACIDS/BASES, LUBRICANT OIL AND PARTICULARLY PETROLEUM PRODUCTS.
- ANTIBACTERIAL LINING OR BREATHABLE LINING.
- SIZE ACCORDING TO EN ISO 20345 LATEST ISSUE- (FRENCH STANDARD).

MARKING:

- EACH ITEM OF SAFETY WEAR BOOT SHALL BE CLEARLY PERMANENTLY MARKED WITH THE FOLLOWING:
- MANUFACTURER NAME/LOGO, IDENTIFICATION TRADE MARK AND MODEL IDENTIFICATION.
 - STANDARD NO., SYMBOL CATEGORY: S3, HRO, SRC.
 - DATE OF MANUFACTURING.
- REQUIREMENTS:

- THE FOLLOWING SHALL BE FORWARDED WITH THE OFFERS: -
- UPDATED CATALOGUES, TECHNICAL DATA SHEETS.

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010107 OQ 00001

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Supplier Offer Unit | Supplier Offer Price | Supplier Offer Currency Code | Original Order No | Orig Type | LineNo |
|----------|--------------|-------------|-------------|----------------|------------------|---------------------|----------------------|------------------------------|-------------------|-----------|--------|
|----------|--------------|-------------|-------------|----------------|------------------|---------------------|----------------------|------------------------------|-------------------|-----------|--------|

-EC-TYPE EXAMINATION CERTIFICATE FROM NOTIFIED BODY AND THE DETAILED TEST REPORTS REFERRED TO IN THE CONFORMITY CERTIFICATE ACCORDING TO EN ISO 20345 LATEST ISSUE
 -CLEANING AND STORAGE INSTRUCTIONS.
 -SAMPLE OF THE OFFERED BOOT IS TO BE PROVIDED WITH THE OFFER FOR PERFORMANCE EVALUATION. OFFERS NOT ACCOMPANIED WITH SAMPLES SHALL NOT BE EVALUATED.

APPLICATION:

GENERAL MAINTENANCE, OPERATION AND INDUSTRIAL PURPOSES.
 TO PROTECT FOOT AGAINST MECHANICAL RISKS OF SOLE PENETRATION, TOES CRUSHING AND SLIPS

IMPORTANT NOTE:

PAYMENT WILL NOT BE AFFECTED UNLESS THE ADMISSION OF SAFETY MATERIALS FOR HANDLING IN THE HASHEMITE KINGDOM OF JORDAN PERMITTED BY JORDANIAN STANDARDS AND METROLOGY ORGANIZATION (JSMO), AS (JSMO) IS THE ONLY OFFICIAL AUTHORITY IN THE HASHEMITE KINGDOM OF JORDAN, WHICH IS AUTHORIZED BY JORDANIAN LAW TO ACCEPT THE SUPPLIED MATERIALS / SAMPLES INSIDE JORDAN FOR THE DELIVERED SAFETY MATERIALS AND CARRY OUT ASSESSMENT TO ENSURE CONFORMITY WITH RELEVANT SPECIFICATIONS ACCORDING TO JORDANIAN LAW.

General Description 2

| | | | | | | | | | | | |
|---|------------|------------------------------------|--|--|------------|--|--|--|-------------|--|---|
| 6 | 1000004026 | SAFETY FOOT WEAR BOOT SIZE NO.:40 | | | 83.000 PR | | | | 26010152 OR | | 1 |
| 7 | 1000004029 | SAFETY FOOT WEAR BOOT SIZE NO.: 43 | | | 307.000 PR | | | | 26010152 OR | | 2 |
| 8 | 1000004030 | SAFETY FOOT WEAR BOOT SIZE NO.: 44 | | | 204.000 PR | | | | 26010152 OR | | 3 |
| 9 | 1000004031 | SAFETY FOOT WEAR BOOT SIZE NO.:45 | | | 151.000 PR | | | | 26010152 OR | | 4 |

Purchasing Manager :
 Remarks of Purchasing Department :

Jordan Petroleum Refinery Company
Quote Order

Order Number 26010107 00001

| Line No. | VOCAB Number | Description | Part Number | Drawing Number | Ordered Quantity | Unit | Supplier Offer Unit Price | Supplier Offer Currency Code | Supplier Offer Order No | Original Order No | Orig Type | LineNo |
|----------|--------------|-------------|-------------|----------------|------------------|------|---------------------------|------------------------------|-------------------------|-------------------|-----------|--------|
| | | | | | | | | | | | | |

Line No. VOCAB Number Description Part Number Drawing Number Ordered Quantity Unit Supplier Offer Unit Price Supplier Offer Currency Code Original Order No. Type Line No. Orig